



**ENVIRONMENTAL PROTECTION ACT 1990
SECTION 37**

**WASTE MANAGEMENT LICENCE
NOTICE OF MODIFICATION**


LICENCE REF No: 3/C/90/0346	FACILITY TYPE: Transfer Station
LICENCE HOLDER: Singers (1989) Ltd	LICENSED FACILITY:
The Company Secretary Singers (1989) Ltd Nevada Lane Sneyd Industrial Estate Burslem Stoke on Trent Staffordshire ST6 2BY	Sneyd Industrial Estate Florida Close Burslem Stoke on Trent
Company Registration No 02438711	

WHEREAS on the 3 October 1990 the Staffordshire County Council issued a waste disposal licence (now to be treated as a waste management licence) in pursuance of its powers under Part 1 of the Control of Pollution Act 1974 for the above named facility to you

AND WHEREAS on the 1st April 1996 the powers and duties of all waste regulation authorities in England and Wales transferred to the Environment Agency ("the Agency") by virtue of section 2 of the Environment Act 1995

AND WHEREAS on 8 August 1994, 31 March 1997 and 22 July 2004 the said licence was modified

NOTICE IS HEREBY GIVEN that the Agency modifies the conditions of the said licence in accordance with Section 37(1)(b) of the Environmental Protection Act 1990 and as set out in the Schedule attached to this notice.

Signed 
Team Leader – Regulatory Waste

Name Ian Brindley

Dated 31 October 2005

This modification shall take effect on 1 November 2005 at 00.01 hours

**YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL DETAILED AT
THE END OF THIS MODIFICATION.**

Environment Agency, Sentinel House, Wellington Crescent, Fradley Park, Lichfield, Staffs, WS13 8RR



SCHEDULE – CONDITIONS RELATING TO THIS MODIFICATION

Modification of conditions under section 37(1)(b) as follows:

Delete existing conditions A11, C16, D1 and F1

Add new conditions A13, C17, D28 and F6

A13 General Considerations

Specified waste management operations

- A13.1 No waste management operations shall be authorised by this licence unless:
- a) specified in and undertaken in accordance with the limitations in sections 6.0, 7.0 and 8.0 of the working plan and in the following table; or
 - b) otherwise required by the conditions of this licence as being an integral part of those operations:

Table A13.1 Specified waste management operations

Specified Waste Management Operation	Permitted Waste Types which may be subject to the Specified Operation	Limits on Operations	Specified Waste Management
D9: Physico-chemical treatment of waste not listed elsewhere in this table which results in final compounds or mixtures which are disposed of on this site by means of any of the category 'D' operations authorised under this column, or elsewhere than on this site, by means of any of the operations listed in Part III of Schedule 4 of the 1994 Regulations.	All permitted wastes as specified in condition C17	Separation and sorting of waste to be carried out in the area defined as 'Covered Waste Area' in site plan labelled version III dated 10/02/04. General and biodegradable waste to be treated as specified in sections 6.1, 6.2 and 6.4 of the working plan. Drums to be treated as defined in condition D.19 from the permitted wastes as defined in condition C17.2 for the purpose other than recycling. No more than 50 tonnes of waste shall be treated at the site per day for disposal purposes.	
• Manual separation of waste • Mechanical separation of waste via grabber • Crushing of drums			
Storage (D15 and R13) pending disposal or recovery	All permitted waste as specified in condition C17	Waste shall be stored in storage bays or defined areas as shown on site plan labelled version III dated 10/02/04. Gas bottles to be stored as specified in section 9.1 of the working plan. Batteries shall be stored as defined in section 8.1 of the working plan. Waste pottery filter cake shall be removed from the site within 28 days of receipt. With the exception of wastes stored for recycling, waste containing biodegradable materials other than putrescible materials shall be removed from the site within 24 hours of receipt with the exception of	
• Storage of waste			

Table A13.1 Specified waste management operations

Specified Waste Management Operation	Permitted Waste Types which may be subject to the Specified Operation	Limits on Operations	Specified Waste Management
			biodegradable materials received on Saturdays, which shall be removed from the site within 48 hours of their receipt. Wastes which have been sorted for the purpose of recycling shall be removed from site within 14 days of receipt. Inert wastes and plastics shall be removed from the site within 28 days of receipt. No more than 4025 cubic metres of waste in total to be stored on site at any one time excluding scrap metal.
R2: Recycling or reclamation of organic substances which are not used as solvents. • Manual separation of waste • Mechanical separation of waste via grabber, loading shovel and trommel • Treatment of wood by crusher • Baling of cardboard, paper and plastic	Wood Cardboard Paper Timber Plastic Polythene	No more than 2520 cubic metres of general and biodegradable waste to be stored on site at any one time. No more than 560 cubic metres of waste wood to be stored on site at any one time prior to treatment. No more than 385 cubic metres of waste wood to be stored on site at any one time after treatment. Waste to be treated as specified in sections 6.1, 6.2, 6.4 and 6.6 of the working plan.	
R3: Recycling or reclamation of metals and metal compounds. • Manual separation of waste • Mechanical separation	Ferrous and non-ferrous metals as specified in Appendix B(ii) of the licence Slags	No more than 2000 tonnes of ferrous materials to be stored on site at any one time. Waste metal to be treated as specified in sections 6.5, 7.0 and 8.0 of working plan.	

Table A13.1 Specified waste management operations

Specified Waste Management Operation	Permitted Waste Types which may be subject to the Specified Operation	Limits on Operations	Specified Waste Management
- of waste via grabber, loading shovel and trommel • Treatment of waste by baler and shear			
R4: Recycling or reclamation of other inorganic materials. • Manual separation of waste • Mechanical separation of waste via grabber, loading shovel and trommel	Rubble and inert waste Glass Ceramics Soils Bricks Foundry sand	No more than 210 cubic metres of rubble to be stored on site at any one time. No more than 350 cubic metres of inert waste to be stored on site at any one time. Waste to be treated as specified in sections 6.3 and 6.5 of the working plan.	

Specified waste management operations and exempt waste management operations

A13.2 Where wastes are being brought onto the site for waste management operations which are exempt from licensing under the 1994 Regulations, then the wastes which are subject to the specified waste management operations shall be kept clearly segregated and identified from those wastes which are being kept on the site for the exempt waste management operations.

C17 Permitted wastes

Permitted categories and types of wastes

- C17.1. No wastes other than those, which are both categorised in Table C17 and specified in detail in section 1.2 of the working plan, shall be accepted at the site.

Permitted quantities of waste

- C17.2 The quantities of waste accepted shall not exceed those listed in Table C17. Whilst complying with the maximum quantities specified for each type of waste, the total quantity of waste accepted at the site per day shall not exceed 250 tonnes and per year shall not exceed 74,999 tonnes.

Table C17 Permitted quantities of waste

Permitted Waste Categories	European Catalogue Chapter	Waste	Maximum Permitted Quantities for each waste category (subject to maximum permitted total quantity in condition C17.2) (tonnes/year)
01 Wastes resulting from Exploration, Mining, Quarrying, Physical and Chemical Treatment of Minerals	01 04 08 waste gravel and crushed rocks other than those mentioned in 01 04 07; 01 04 09 waste sand and clays		No limit subject to maximum storage capacities detailed in Table A13.1.
02 Wastes from Agriculture, Horticulture, Aquaculture, Forestry, Hunting and Fishing, Food Preparation and Processing	02 01 04 waste plastics (except packaging); 02 01 07 wastes from forestry; 02 01 10 waste metal		No limit subject to maximum storage capacities detailed in Table A13.1.
03 Waste from Wood Processing and the Production of Panels and Furniture, Pulp, Paper and Cardboard	03 01 05 sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04; 03 03 01 waste bark and wood; 03 03 08 wastes from sorting of paper and cardboard destined for recycling		No limit subject to maximum storage capacities detailed in Table A13.1.
07 Wastes from Organic Chemical Processes	07 02 13 waste plastic		No limit subject to maximum storage capacities detailed in Table A13.1.

Table C17 Permitted quantities of waste

Permitted Waste Categories	European Catalogue Chapter	Waste	Maximum Permitted Quantities for each waste category (subject to maximum permitted total quantity in condition C17.2) (tonnes/year)
10 Wastes from Thermal Processes	10 02 01 wastes from the processing of slag; 10 02 02 unprocessed slag; 10 05 01 slags from primary and secondary production; 10 06 01 slags from primary and secondary production; 10 08 09 other slags; 10 09 03 furnace slag; 10 09 08 casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07; 10 10 03 furnace slag; 10 10 08 casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07; 10 11 12 waste glass other than those mentioned in 10 11 11; 10 12 06 discarded moulds; 10 12 08 waste ceramics, bricks, tiles and construction products (after thermal processing)		No more than 30 tonnes/week of waste pottery filter cake. No limit on wastes other than waste pottery filter cake subject to maximum storage capacities detailed in Table A13.1.
12 Wastes from Shaping and Physical and Mechanical Surface Treatment of Metals and Plastics	12 01 01 ferrous metal filings and turnings; 12 01 03 non-ferrous metal filings and turnings; 12 01 05 plastics shavings and turnings; 12 01 13 welding wastes		No limit subject to maximum storage capacities detailed in Table A13.1.

Table C17 Permitted quantities of waste

Permitted Waste Categories	European Catalogue Chapter	Waste	Maximum Permitted Quantities for each waste category (subject to maximum permitted total quantity in condition C17.2) (tonnes/year)
15 Waste Packaging; Absorbents, Wiping Cloths, Filter Materials and Protective Clothing not otherwise specified	15 01 01 paper and cardboard packaging; 15 01 03 wooden packaging; 15 01 06 mixed packaging; 15 01 07 glass packaging; 15 01 09 textile packaging		No limit subject to maximum storage capacities detailed in Table A13.1.
16 Wastes not otherwise specified in the List	16 01 06 end-of-life vehicles, containing neither liquids nor other hazardous components; 16 01 17 ferrous metal; 16 01 18 non-ferrous metal; 16 01 19 plastic; 16 01 20 glass; 16 06 01* lead batteries		No limit subject to maximum storage capacities detailed in Table A13.1.

Table C17 Permitted quantities of waste

Permitted Waste Categories	European Catalogue Chapter	Waste	Maximum Permitted Quantities for each waste category (subject to maximum permitted total quantity in condition C17.2) (tonnes/year)
17 Construction and Demolition Wastes (including excavated Soil from Contaminated Sites)	17 01 01 concrete; 17 01 02 bricks; 17 01 03 tiles and ceramics; 17 01 07 mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06; 17 02 01 wood; 17 02 02 glass; 17 02 03 plastic; 17 04 01 copper, bronze, brass; 17 04 02 aluminium; 17 04 03 lead; 17 04 04 zinc; 17 04 06 tin; 17 04 07 mixed metals; 17 04 11 cables other than those mentioned in 17 04 10; 17 05 04 soil and stones other than those mentioned in 17 05 03; 17 08 02 gypsum-based construction materials other than those mentioned in 17 08 01; 17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03		No limit subject to maximum storage capacities detailed in Table A13.1.
19 Wastes from Waste Management Facilities, Off-site Waste Water Treatment Plants and the Preparation of Water intended for Human Consumption and Water for Industrial Use	19 01 02 ferrous materials removed from bottom ash; 19 10 01 iron and steel waste; 19 10 02 non-ferrous waste; 19 12 01 paper and cardboard; 19 12 04 plastic and rubber; 19 12 05 glass; 19 12 07 wood other than that mentioned in 19 12 06; 19 12 08 textiles; 19 12 09 minerals (for example sand, stones)		No limit subject to maximum storage capacities detailed in Table A13.1.

Table C17 Permitted quantities of waste

Permitted Waste Categories	European Catalogue Chapter	Waste	Maximum Permitted Quantities for each waste category (subject to maximum permitted total quantity in condition C17.2) (tonnes/year)
20 Municipal Wastes (Household waste and similar Commercial, Industrial and Institutional Wastes) including separately collected Fractions	20 01 01 paper and cardboard; 20 01 02 glass; 20 01 11 textiles; 20 01 36 discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35; 20 01 38 wood other than that mentioned in 20 01 37; 20 01 39 plastics; 20 02 02 soil and stones; 20 03 01 mixed municipal waste		No limit subject to maximum storage capacities detailed in Table A13.1.

D28 Site operations

Waste pre-acceptance and acceptance procedures

D28.1 Prior to receipt at the site, all foundry sands and slags shall be sampled and tested or a suitable recent analysis obtained from the producer which confirms that the waste is acceptable at the site, in accordance with section 4.9 of the working plan.

D28.2 All loads of waste received at the site shall be visually inspected prior to deposit to ensure that they are acceptable at the site.

F6 Site Records

Recording of wastes accepted

- F6.1 The licence holder shall produce and keep a record of all incoming loads to include:
- The name and address of the person or company producing the waste.
 - The name and address of the person or company depositing the load.
 - The weight or volume of each load.
 - The type of waste in each load.
 - The pre-acceptance analysis results and interpretative reports.

EXPLANATORY NOTES - including rights of appeal.

RIGHTS OF APPEAL

Section 43(1) of the Environmental Protection Act 1990 provides that:

Where, except in pursuance of a direction given by the Secretary of State, the conditions of a licence are modified, the licence holder may appeal from the decision to the Secretary of State.

Therefore, if you feel aggrieved by the decision detailed on the attached notice, you may obtain the appropriate form on which to give written notice of an appeal from:

The Planning Inspectorate
Environment Appeals Team
Room 215
Regus Building
1 Friary
Temple Quay
Bristol
BS1 6EA

For Wales, the address is –
The Planning Inspectorate
Crown Buildings
Cathays Park
Cardiff
CF10 3NQ

Tel: 0117 344 5680/5682/5683
Fax: 0117 344 5242

Tel: 02920 823859
Fax: 02920 825150

This notice of appeal should be accompanied by the following information:

A statement of the grounds of appeal;

A copy of any application to modify the licence;

A copy of the licence;

A copy of any correspondence relevant to the appeal;

A copy of any other document relevant to the appeal including, in particular, any relevant consent, determination, notice, planning permission, established use certificate or certificate of lawful use or development; and

A statement indicating whether you wish the appeal to be in the form of a hearing or on the basis of written representations.

You are also required to serve a copy of your notice of appeal, together with copies of any the above documents that have accompanied your notice of appeal, on the Environment Agency (at the address overleaf). You should appeal within 6 months of the date that this notice takes effect but the Secretary of State may allow notice of appeal to be given after the expiry of this time period.